

## OCA Accounts Receivable (AR)

| No. | Views                                | Description   |
|-----|--------------------------------------|---|
| 1   | AR Adjustment<br>Distributions       | This view returns information about distributions for<br>adjustments made to customer transactions in Oracle<br>Fusion Receivables. This information is accessible<br>through Billing > Manage Transactions > Actions ><br>Manage Adjustments. A record is returned for each<br>combination of a ledger names, a business unit<br>names, an adjustment numbers, and an adjustment<br>distributions identifier.  |
| 2   | AR Adjustments                       | This view returns information about adjustments<br>made to customer transactions in Oracle Fusion<br>Receivables. This information is accessible through<br>Billing work area > Manage Transactions > Actions ><br>Manage Adjustments. A record is returned for each<br>adjustment number.  |
| 3   | AR Bills Receivable<br>Details       | This view returns information about bills receivable in<br>Oracle Fusion Receivables. This information is<br>accessible through Accounts Receivable work area ><br>Bills Receivable > Manage Bills Receivable Portfolio.<br>A record is returned for each combination of a bills<br>receivable transaction identifier, transaction<br>identifier, and transaction installment identifier.   |
| 4   | AR Bills Receivable<br>Distributions | This view returns information about distributions for<br>bills receivable in Oracle Fusion Receivables. A<br>record is returned for each combination of a bills<br>receivable transaction number and bills receivable<br>distribution line identifier.  |
| 5   | AR Credit Memo<br>Applications       | This view returns information about credit memo<br>applications in Oracle Fusion Receivables. This<br>information is accessible through Receivables ><br>Billing work area > Transactions > Manage<br>Transactions. A record is returned for each<br>combination of a business unit name, a credit memo<br>source name, a credit memo number, a customer<br>number, a customer account number, a credit memo<br>line identifier, a credit memo line type, and an<br>application identifier. |
| 6   | AR Credit Memo                       | This view provides information about credit memo  |



| No. | Views                                   | Description   |
|-----|---|---|
|     | Requests                                | requests in Oracle Fusion Receivables. This<br>information is accessible through Receivables ><br>Billing work area > Manage Transactions. A record is<br>returned for each combination of a disputed<br>transaction number and credit memo request<br>identifier.  |
| 7   | AR Cust Acct Site Other<br>Tax Profiles | This view returns information about tax profile<br>classifications and reporting codes in Oracle Fusion<br>Receivables. This information is accessible through<br>Receivables > Billing work area > Manage<br>Customers > Sites > Tax Profile. A record is returned<br>for each combination of a tax profile identifier, tax<br>reporting type identifier, and fiscal classification type<br>identifier.                            |
| 8   | AR Cust Acct Site Tax<br>Exemptions     | This view returns information about customer tax<br>exemptions in Oracle Fusion Receivables. This<br>information is accessible through Receivables ><br>Billing work area > Manage Customers > Sites > Tax<br>Profile > Tax Exemptions. A record is returned for<br>each combination of a tax profile identifier and tax<br>exemption identifier.   |
| 9   | AR Cust Acct Site Tax<br>Registrations  | This view returns information about customer tax<br>registrations including withholding tax registrations.<br>This information is accessible through Receivables ><br>Billing work area > Customers > Manage Customers<br>> Sites > Tax Profile > Tax Exemptions. A record is<br>returned for each combination of a tax profile<br>identifier and tax registration identifier.  |
| 10  | AR Customer Account<br>Site Uses        | This view returns information about customer<br>account site uses. This information is accessible<br>through Receivables > Accounts Receivable ><br>Customers > Manage Customers or through<br>Receivables > Billing work area > Customers ><br>Manage Customers. A record is returned for each<br>combination of a customer number, customer<br>account number, customer site number, and<br>customer account site use identifier. |
| 11  | AR Customer Accounts                    | This view provides information about customer accounts in Oracle Fusion Receivables. This   |



| No. | Views                                | Description  |
|-----|--------------------------------------|--|
|     |                                      | information is accessible through Receivables ><br>Billing work area > Manage Customers > Accounts. A<br>record is returned for each customer account<br>identifier.   |
| 12  | AR Customer Balance<br>Aging Summary | This view returns information about aging customer<br>balances in Oracle Fusion Receivables. A record is<br>returned for each combination of a business unit<br>name, ledger name, ledger set name, customer<br>name, customer account name, customer<br>organization name, calendar year, calendar quarter,<br>currency code base, and transaction currency code.   |
| 13  | AR Customer Contacts                 | This view returns information about the<br>representatives of customer accounts and customer<br>account sites in Oracle Fusion Receivables. This<br>information is accessible through Receivables ><br>Billing work area > Customers > Manage Customer ><br>Accounts > Communications and also through<br>Receivables > Billing work area > Customers ><br>Manage Customer > Sites > Communications. A<br>record is returned for each combination of a reporting<br>level context, customer number, customer account<br>number, customer site number, contact number,<br>customer account site use, and contact point<br>identifier. |
| 14  | AR Customer Other Tax<br>Profiles    | This view returns information about tax profile<br>classifications and reporting codes in Oracle Fusion<br>Receivables. This information is accessible through<br>Receivables > Billing work area > Manage<br>Customers > Accounts > Tax Profile. A record is<br>returned for each combination of a tax profile<br>identifier, tax reporting type identifier, and fiscal<br>classification type identifier.  |
| 15  | AR Customer Payment<br>Instruments   | This view returns information about bank accounts at<br>the customer account and site levels in Oracle Fusion<br>Receivables. This information is accessible through<br>Receivables > Billing work area > Manage<br>Customers > Accounts or through Sites > Payment<br>Details > Payment Instruments. A record is returned<br>for each combination of a customer number,   |



| No. | Views                            | Description   |
|-----|----------------------------------|---|
|     |                                  | customer account number, customer site number, bank account number, and credit card number.   |
| 16  | AR Customer Profile<br>History   | This view returns information about customer<br>profiles, including the customer account and site<br>histories in Oracle Fusion Receivables. This<br>information is accessible through Receivables ><br>Accounts Receivable work area > Manage<br>Customers > Accounts > Profile History and through<br>Receivables > Accounts Receivable work area ><br>Manage Customers > Sites > Profile History. A record<br>is returned for each combination of a reporting level<br>context, customer number, customer account<br>number, customer site number, customer profile<br>class name, customer profile currency code,<br>customer profile class effective start date, and<br>customer profile class effective end date. |
| 17  | AR Customer Receipt<br>Methods   | This view returns information about receipt methods<br>at the customer account and site levels in Oracle<br>Fusion Receivables. This information is accessible<br>through Receivables > Billing work area > Customers<br>> Manage Customers > Accounts or Sites > Payment<br>Details > Receipt Methods. A record is returned for<br>each combination of a reporting level context,<br>customer number, customer account number,<br>customer site number, and receipt method name.   |
| 18  | AR Customer Tax<br>Registrations | This view returns information about customer tax<br>registrations including withholding tax registrations.<br>This information is accessible through Receivables ><br>Billing work area > Manage Customers ><br>Organization Information > Tax Profile > Tax<br>Registrations. A record is returned for each<br>combination of a customer number, tax profile<br>identifier, and tax registration identifier.   |
| 19  | AR Customers                     | This view returns information about customers of the<br>organization and person types in Oracle Fusion<br>Receivables. This information is accessible through<br>Receivables > Billing work area > Manage<br>Customers. A record is returned for each customer<br>identifier. Note: This view returns information only  |



| No. | Views                                     | Description   |
|-----|---|---|
|     |   | about customers while the Manage Customers page<br>may display information about all parties, such as<br>suppliers and customer contacts.   |
| 20  | AR Period Statuses                        | This view returns information about account<br>receivables period statuses in Oracle Fusion<br>Accounts Receivable. This information is accessible<br>through General Accounting > Period Close work<br>area > Receivables. A record is returned for each<br>combination of a report date, period name, and<br>ledger name.   |
| 21  | AR Receipt Conversion<br>Rate Adjustments | This view returns information about receipt<br>conversion rates, including exchange gain or loss<br>amounts in Oracle Fusion Receivables. This<br>information is accessible through Receivables ><br>Accounts Receivable work area > Manage Receipts.<br>A record is returned for each combination of a receipt<br>number, a receipt identifier, an old conversion rate<br>type, and a new conversion rate type.            |
| 22  | AR Receipt Details                        | This view returns information about receipts and the<br>associated receipt applications in Oracle Fusion<br>Receivables. This information is accessible through<br>Receivables > Accounts Receivable work area ><br>Receipts > Manage Receipts. A record is returned for<br>each combination of a receipt identifier, receipt<br>application identifier, business unit name, customer<br>name, and customer account number. |
| 23  | AR Receipt Distributions                  | This view returns information about standards and<br>miscellaneous receipts distributions in Oracle Fusion<br>Receivables. This information is accessible through<br>Receivables > Accounts Receivable work area ><br>Manage Receipts. A record is returned for each<br>combination of a ledger name, business unit name,<br>receipt number, and distribution line identifier.  |
| 24  | AR Transaction Line<br>Details            | This view returns information about transaction lines<br>and transaction line taxes in Oracle Fusion<br>Receivables. This information is accessible through<br>Receivables > Billing work area > Manage<br>Transactions. A record is returned for each<br>combination of a transaction identifier, transaction  |



| No. | Views                              | Description   |
|-----|------------------------------------|---|
|     |                                    | line identifier, and transaction line tax line identifier.  |
| 25  | AR Transactions                    | This view returns information about transactions in<br>Oracle Fusion Receivables. This information is<br>accessible through Receivables > Billing work area ><br>Manage Transactions > Review Transaction. A<br>record is returned for each transaction identifier.   |
| 26  | AR Transaction<br>Installments     | This view returns information about transaction<br>installments in Oracle Fusion Receivables. This<br>information is accessible through Receivables ><br>Billing work area > Manage Transactions > Review<br>Installments. A record is returned for each transaction<br>installment.  |
| 27  | AR Transaction<br>Distributions    | This view returns information about transactions<br>distributions including revenue adjustment<br>distributions in Oracle Fusion Receivables. The<br>transaction distribution information is accessible<br>through Receivables > Billing work area > Manage<br>Transactions and the revenue adjustment distribution<br>information is accessible through Receivables ><br>Revenue work area > Manage Revenue<br>Adjustments. A record is returned for each<br>combination of a ledger name, business unit name,<br>transaction number, transaction line number, and<br>distribution identifier. |
| 28  | AR Unapplied Receipts              | This view returns information about unapplied,<br>unidentified, and on-account receipts in Oracle<br>Fusion Receivables. The information returned by the<br>view is similar to the Unapplied Receipts Register<br>report in Fusion Receivables. This information is<br>accessible through Receivables > Accounts<br>Receivable > Receipts > Manage Receipts. A record<br>is returned for each combination of a business unit<br>name, receipt batch name, receipt number, receipt<br>identifier, receipt application status, and receipt<br>application general ledger date.                    |
| 29  | SLA AR Adjustment<br>Distributions | This cross-functional view links accounting entries in<br>Oracle Subledger Accounting to the corresponding<br>adjustment distribution lines in Oracle Fusion<br>Receivables. This view returns information about  |



| No. | Views                                    | Description  |
|-----|--|--|
|     |  | subledger accounting distributions for all accounting<br>events generated for adjustments in Receivables. A<br>record is returned for each combination of an<br>accounting event header identifier, an accounting<br>event line number, a subledger accounting ledger<br>name, and a subledger accounting distribution detail<br>line number.  |
| 30  | SLA AR Bills Receivable<br>Distributions | This cross-functional view links accounting entries in<br>Oracle Fusion Subledger Accounting to the<br>corresponding bills receivable transaction distribution<br>lines in Oracle Fusion Receivables. This view returns<br>information about subledger accounting distributions<br>for all accounting events generated for bills<br>receivable transactions. A record is returned for each<br>combination of an accounting event header identifier,<br>an accounting event line number, a subledger<br>accounting ledger name, and a subledger accounting<br>distribution detail line number.  |
| 31  | SLA AR Receipt<br>Distributions          | This cross-functional view links accounting entries in<br>Oracle Fusion Subledger Accounting to the<br>corresponding standard/miscellaneous receipts and<br>their application distribution lines in Oracle Fusion<br>Receivables. This view returns information about<br>subledger accounting distributions for all accounting<br>events generated for standard/miscellaneous<br>receipts and their applications in Receivables. A<br>record is returned for each combination of an<br>accounting event header identifier, an accounting<br>event line number, a subledger accounting ledger<br>name, and a subledger accounting distribution detail<br>line number. |
| 32  | SLA AR Transaction<br>Distributions      | This cross-functional view links accounting entries in<br>Oracle Fusion Subledger Accounting to the<br>corresponding transaction distribution lines in Oracle<br>Fusion Receivables. This view returns information<br>about subledger accounting distributions for all<br>accounting events generated for transactions in<br>Receivables. A record is returned for each<br>combination of an accounting event header identifier,<br>an accounting event line number, a subledger   |



| No. | Views                             | Description   |
|-----|-----------------------------------|---|
|     |                                   | accounting ledger name, and a subledger accounting distribution detail line number.   |
| 33  | SLA Receivables<br>Reconciliation | This view returns information about the reconciliation<br>of accounting and transactional data recorded in<br>Oracle Fusion Receivables and Oracle Fusion<br>Subledger Accounting with the journals posted to<br>Oracle General Ledger for open receivables<br>balances. This information is accessible through<br>Receivables > Accounts Receivable > Accounting ><br>Receivables to Ledger Reconciliation. A record is<br>returned for each combination of a ledger name, an<br>accounting period, a reconciliation request name,<br>and a reconciliation item. |